

LED UFO PRO LIGHT

NG-UFOPR-120W NG-UFOPR-150W
 NG-UFOPR-200W NG-UFOPR-240W
 NG-UFOPR-300W

Features

Super-Thin Aluminum heatsink
 Microwave motion sensor function
 Remote control 0~10V dimmable
 100-277VAC/120V±10% input
 SMD3030 LED Chips 150LM/W
 6K high Voltage Surge test approved
 120 Degree Beam Angle
 High Power Factor>0.9, Low THD Driver
 Excellent Heat Dissipation
 Energy Saving 50% At Least
 UL cUL DLC Approved
 5 Years Warranty
 EASY INSTALLATION
 WATERPROOF AND DURABLE
 SAVING ENERGY




Applications

LED UFO PRO light series can be widely used in supermarket,garage,factory,workshops,highway toll station,gas station exhibition hall,commercial and industrial lighting etc.




Series	Lumens	Wiring	Beam Angle (Degree)	Electrical Data	LED Type	Color temperature	Color rendering index
NG-UFOPR-120W	15000 Lm	ACL(Black) ACN(White) GND(Green)	120 degree	Input Voltage 100-277V 50~60Hz Power Factor(%) >90	SMD 3030 Chips	WW 3000 K NW 4000 K DW 5000 K CW 5700 K	Ra>70 Ra>80 Ra>90
NG-UFOPR-150W	22500 Lm						
NG-UFOPR-200W	30000 Lm						
NG-UFOPR-240W	36000 Lm						
NG-UFOPR-300W	45000 Lm						

DIMENSIONS




120W/150W/200W




240W/300W


1. Open the box and take out the LED light and ring.
2. Install the ring into the light body as following diagram.



3. Hung the LED light with a sturdy hook.



4. Hang the safety wire one side to the lamp, another side to the sturdy hook shown by diagram.





5. Connect wires as below diagram and turn on power to lighting.


Black wire : L

Green wire:


White wire : N



6. Use remote control to adjust product brightness, 0-100% adjustment. Or use microwave induction to intelligently adjust product functions.



PACKAGE



Power	Unit	Size	Grass weight	Volume
120W	1PCS	330X330X150mm/ 12.99"**12.99"**5.91"	3.5 Kg / 7.72 lbs	0.108m ²
150W				
200W	3PCS	500X350X355mm/ 19.69"**13.78"**13.98"	14.5 Kg / 31.97 lbs	0.177m ²

Power	Unit	Size	Grass weight	Volume
240W	1PCS	390X390X150mm/ 15.35"**15.35"**5.91"	4.3 Kg / 9.48 lbs	0.15m ²
300W	3PCS	490X410X415mm/ 19.29"**16.14"**16.34"	17.5 Kg / 38.58 lbs	0.203m ²